

**Via Electronic and Certified Mail**

December 18, 2012

Mr. Ruben Moya, Superfund Remedial Project Manager  
Superfund AR/LA Enforcement Section (6SF-RA)  
U.S. Environmental Protection Agency  
1445 Ross Avenue  
Dallas, Texas 75202

**Subject: Site Inspection and Screening Risk Assessment  
For Dioxins and Furans  
Arkwood, Inc. Site, Omaha, Arkansas**


Dear Mr. Moya:

As requested, an evaluation of the potential risks associated with polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/Fs) was conducted for the Arkwood Site. A copy of the report entitled "Site Inspection and Screening Risk Assessment for Dioxins/Furans" prepared by ChemRisk dated December 17, 2012 is enclosed. Based on the Site inspection and screening risk assessment, the Site does not present unacceptable PCDD/F risks.

I certify that the information contained in or accompanying this submission is true, accurate, and complete to the best of my knowledge, information and belief, and that I, as project coordinator, have made reasonable inquiry into its veracity.

If you have any questions regarding this letter, please do not hesitate to contact me at (608) 848-4134.

Sincerely,



Jean A. Mescher, Project Coordinator  
Director, Environmental Services

Enclosure

Copy:

- Mark Moix, ADEQ\*
- EPA Assistant Regional Counsel (6C-WA)\* (w/o enclosure)
- Chief, Superfund Enforcement Branch (6H-E)\* (w/o enclosure)

\* CERTIFIED MAIL